

## Declaration of Performance

DOP/CE/9045

### Sluice Valve STD-W-15 Chamber & Cover



**1. Unique Identification code of the product - type:** Code – 9045 – Sluice Valve STD-W-15 Chamber & Cover

**2. Intended use:** Reinforced Precast Component for use as an inspection Chamber

**3. Manufacturer:** Creative Concrete, Ballinamere, Tullamore, Co. Offaly

**4. Authorised Representative:** N/A

**5. System of AVCP:** System 4

**6. Harmonised Standard:** EN 1917:2002&AC:2008 **Notified body:** N/A

**7. Declared Performance**

| Characteristic                | Declared Performance                                         | Provisions to Annex ZA<br>(informative) of I.S EN 1917:2002 |
|-------------------------------|--------------------------------------------------------------|-------------------------------------------------------------|
| <b>Watertightness:</b>        | No Leakage of joint or unit at 30kPa<br>(0,3 bar) internally | 4.3.8                                                       |
| <b>Mechanical resistance:</b> | Vertical Strength 400kN                                      | 4.3.5                                                       |
| <b>Opening Size:</b>          | (LN x WN) 600mm, 600mm Square                                | 4.3.3.5                                                     |
| <b>Durability:</b>            | Adequate for normal serviceability<br>conditions             | 4.3.10                                                      |

**8.** N/A


<https://creativeconcrete.ie>

The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

**Chris O'Reilly, Technical & Production Manager, Creative Concrete, Ballinamere, Tullamore, Co. Offaly**

**Date: 02<sup>nd</sup> September 2022**





**Creative Concrete**

**17**

**EN 1917:2002&AC:2008**  
**Sluice Valve STD-W-15 Chamber & Cover**  
**(LxWxH)800mm, 800mm, 470mm**

1. **Unique Identification code of the product - type:** Code – 9045 – Sluice Valve STD-W-15 Chamber & Cover
2. **Intended use:** Reinforced Precast Component for use as an inspection Chamber
3. **Manufacturer:** Creative Concrete, Ballinamere, Tullamore, Co. Offaly
4. **Authorised Representative:** N/A
5. **System of AVCP:** System 4
6. **Harmonised Standard:** EN 1917:2002&AC:2008 **Notified body:** N/A

|                              |                         |                                                            |
|------------------------------|-------------------------|------------------------------------------------------------|
| <b>Watertightness</b>        | Declared Value          | No Leakage of joint or unit at 30kPa (0,3) bar) internally |
| <b>Mechanical Resistance</b> | Declared Value          | Vertical Strength 400kN                                    |
| <b>Opening Size</b>          | Declared Characteristic | (LN x WN) 600mm, 600mm Square                              |
| <b>Durability</b>            | Declared Performance    | Adequate for normal serviceability conditions              |



Signed for and on behalf of the manufacturer by:

**Chris O'Reilly, Technical & Production Manager, Creative Concrete, Ballinamere, Tullamore, Co. Offaly**

**Date: 02<sup>nd</sup> September 2022**

