Declaration of Performance

DOP/CE/9072

Junction Box PL5 - TV/CCTV Chamber
Ballinamere, Tullamore, Co. Offaly



1. Unique Identification code of the product - type: Code - 9072 - Junction Box PL5 - CC/CCTV Chamber

2. Intended use: Precast Component for use as an inspection Chamber

3. Manufacturer: Creative Concrete, Ballinamere, Tullamore, Co. Offaly

4. Authorised Representative: N/A

5. System of AVCP: System 4

6. Harmonised Standard: EN 1917:2002&AC:2008 Notified body: N/A

7. Declared Performance

Characteristic	Declared Performance	Provisions to Annex ZA (informative) of I.S EN 1917:2002
Watertightness:	No Leakage of joint or unit at 30kPa (0,3) bar) internally	4.3.8
Mechanical resistance:	Vertical Strength 400kN	4.3.5
Opening Size:	(LN x WN) 600mm, 600mm Square	4.3.3.5
Durability:	Adequate for normal serviceability conditions	4.3.10

8. N/A

https://creativeconcrete.ie

The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Chris O'Reilly, Technical & Production Manager, Creative Concrete, Ballinamere, Tullamore, Co. Offaly

Date: 02nd September 2022





Creative Concrete

17

EN 1917:2002&AC:2008 Junction Box PL5 TV/CCTV Chamber

(LxWxH) 800mm, 800mm, 800mm

- 1. Unique Identification code of the product type: Code 9072 Junction Box PL5 TV/CCTV Chamber
- 2. Intended use: Precast Component for use as an inspection Chamber
- 3. Manufacturer: Creative Concrete, Ballinamere, Tullamore, Co. Offaly
- 4. Authorised Representative: N/A
- 5. System of AVCP: System 4
- 6. Harmonised Standard: EN 1917:2002&AC:2008 Notified body: N/A

Watertightness Declared Value No Leakage of joint or unit at 30kPa (0,3) bar) internally

Mechanical Resistance Declared Value Vertical Strength 400kN

Opening Size Declared Characteristic (LN x WN) 6000mm, 6000mm Square

Durability Declared Performance Adequate for normal serviceability conditions



Signed for and on behalf of the manufacturer by:

Chris O'Reilly, Technical & Production Manager, Creative Concrete, Ballinamere, Tullamore, Co. Offaly Date: 02nd September 2022

