



Creative Concrete: Declaration of Performance of CE Marking of Product as specified hereunder.



17

Name and address of manufacturer.	Creative Concrete Ballinamere Tullamore Co Offaly
Contact details.	Telephone: +353 5793 55808 <a href="http://www.creativeconcrete.ie">www.creativeconcrete.ie</a>
Authorised representative.	None.
Harmonised standard.	IS EN 1917: 2004
Attestation of conformity system as per Table ZA.2. IS EN 1917: 2004	4.
Product description.	Reinforced concrete inspection chambers and junction boxes without fitted steps. Values stated in this certificate are the minimum values for the applicable product range.
Product Type	<b>JB 4 Eir</b> <b>Length: 1105mm. Width: 640mm. Height: 800mm.</b> <b>Reinforced Concrete.</b>
Concrete class.	C32/40 as per EN: 206-1: 2013
Notified body.	None.

### Declared performance.

Provisions to which product conforms.	Annex ZA of IS EN 1917: 2004
Essential Characteristics.	
Opening size.	
Mechanical resistance as determined by testing in accordance with Annex A Clause A5 IS EN 1917: 2004.	Chamber Crushing Strength: 120 kn. Vertical Strength: 150kn. Compressive strength of concrete @ 28 days. Not less than 40kn/mm <sup>2</sup>
Load bearing capacity of fitted steps.	Not applicable. No steps fitted to product range.
Water tightness. IS EN 1917: 2004 Clause 4.3.8.	No leaks observed.
Durability.	Compressive strength of concrete 40Kn/mm <sup>2</sup> . Suitable for use under normal conditions.

### Declaration.

The performance of the product identified above is in conformance with the declared values when used for the purposes and in the conditions/circumstances for which it is intended, subject to installation in accordance with manufacturer's instructions.

*Vincent Molloy*

Signed: \_\_\_\_\_

Vincent Molloy

Managing Director.

Dated: 1<sup>st</sup> October 2019