

Creative Concrete: Declaration of Performance of CE Marking of Product as specified hereunder.



20

| | |
|--|--|
| Name and address of manufacturer. | Creative Concrete Ballinamere Tullamore Co Offaly |
| Contact details. | Telephone: +353 5793 55808 www.creativeconcrete.ie |
| Authorised representative. | None. |
| Harmonised standard. | IS EN 1917: 2004 |
| Attestation of conformity system as per Table ZA.2. IS EN 1917: 2004 | 4. |
| Product description. | Reinforced concrete inspection chambers and junction boxes with fitted steps. Values stated in this certificate are the minimum values for the applicable product range. |
| Product Type | Comms 1 Chamber Length: 1500mm. Width: 1100mm. Height: 1025mm. Wall thickness 125mm Reinforced Concrete. Fitted metal fabricated steps. |
| Concrete class. | C32/40 as per EN: 206-1: 2013 |
| Notified body. | None. |

Declared performance.

| | |
|---|---|
| Provisions to which product conforms. | Annex ZA of IS EN 1917: 2004 |
| Essential Characteristics. | |
| Opening size. | |
| Mechanical resistance as determined by testing in accordance with Annex A Clause A5 IS EN 1917: 2004. | Chamber Crushing Strength: 120 kn. Vertical Strength: 150kn. Compressive strength of concrete @ 28 days. Not less than 40Kn/mm ³ |
| Load bearing capacity of fitted steps. | Not applicable. No steps fitted to product range. |
| Water tightness. IS EN 1917: 2004 Clause 4.3.8. | No leaks observed. |
| Durability. | Compressive strength of concrete 40Kn/mm ² . Suitable for use under normal conditions. |

Declaration.

The performance of the product identified above is in conformance with the declared values when used for the purposes and in the conditions/circumstances for which it is intended, subject to installation in accordance with manufacturer's instructions.

Signed: _____

Vincent Molloy

Managing Director. Dated: 22nd April 2020